
CREATING
PERFECT
HARMONY

ORO

flair



CREATING
PERFECT
HARMONY



THE ORO[®] COLLECTION

At Flair we understand that our customers have an ever demanding daily routine. Be it first thing in the morning or as you finish the day, a shower has the power to lift your spirits, calm the mind and invigorate.

In creating the ORO range, our aim is to enrich lives with beautifully designed products for living and giving, that are a pleasure to use.

With a graceful aesthetic, the ORO collection is a union of design innovation and functional perfection. The hand crafted ORO door handles are one of a kind and distinctly individual. Elegance shines through the curved profile and hinge detailing. Each ORO component is carefully considered to enhance your experience every day.

As you explore the ORO catalogue, we hope you are captivated by every detail.



VISIONARY INNOVATIONS

COUNTERSUNK INTERIOR HINGES
WITH FLUSH TO GLASS FINISH



CURVED HINGE
DETAILING



SIGNATURE
HANDLE
DESIGN



UNIQUELY CRAFTED
BI-FOLD HANDLE




PATENTED MAGNETIC
GUIDE SYSTEM




MINIMALIST BOTTOM
DOOR GUIDE

FUNCTIONAL INNOVATIONS



ULTRA
CLEAR
DOOR
SEALS



CUSHION
CLOSE
DAMPENER
SYSTEM




CURVED
RADIUS
DETAILING
THROUGHOUT





DESIGNED
FOR LIFE



IDEA
CONCEPT
PROTOTYPE
ORO



THE ORO[®] COLLECTION

HINGED
QUADRANT
DOOR

14

HINGED OFFSET
QUADRANT
DOOR

16

SLIDING
QUADRANT
DOOR

18

SLIDING OFFSET
QUADRANT
DOOR

20

SLIDER
DOOR

22

SLIDER DOOR
WITH FRAMELESS
SIDE PANEL

24

HINGE
DOOR

26

HINGE DOOR
WITH FRAMELESS
SIDE PANEL

28

HINGE &
INLINE DOOR

30

HINGE & INLINE DOOR
WITH FRAMELESS
SIDE PANEL

32

BI-FOLD
DOOR

34

BI-FOLD DOOR
WITH FRAMELESS
SIDE PANEL

36

VISIONARY DETAILS



2 METRES HIGH



8mm TOUGHENED
SAFETY GLASS TO EN12150



CLEARVUE IS A HYDROPHOBIC
GLASS COATING THAT RESISTS
THE BUILD UP OF LIMESCALE AND
GRIME ON THE GLASS SURFACE



UNIQUELY CRAFTED
CHROME PLATED HANDLE



CONCEALED INTERIOR
FIXATION POINTS



INNOVATIVE
ULTRA CLEAR SEALS



SUITABLE FOR SHOWER TRAY
OR WETROOM
INSTALLATION


HINGED QUADRANT DOOR

A hallmark of elegance, the ORO Hinged Quadrant will add a touch of class to your bathroom.

The frameless curved glass is supported by 2 stainless steel stabilising bars that blend seamlessly into the door silhouette. Flush to glass interior **counter sunk hinges** allows you to easily wipe the shower glass clean. Precise in its action, the curved hinge door is secured by **ultra clear magnetic seals** that give the perfect close on this enclosure.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
ORO Hinged Quadrant 900mm Left Hand	870mm	890mm	570mm	OROHQ90LSC
ORO Hinged Quadrant 900mm Right Hand	870mm	890mm	570mm	OROHQ90RSC
ORO Hinged Quadrant 1000mm Left Hand	970mm	990mm	570mm	OROHQ100LSC
ORO Hinged Quadrant 1000mm Right Hand	970mm	990mm	570mm	OROHQ100RSC



- 8mm TOUGHENED SAFETY GLASS
- 2000mm HEIGHT
- 20mm PROFILE ADJUSTMENT
- COUNTERSUNK INTERIOR HINGES
- 10mm ULTRA LOW BOTTOM RAIL
- CRAFTED HANDLE DESIGN
- ULTRA CLEAR SEALS
- SEAMLESS INTERIOR COVER STRIPS
- STAINLESS STEEL ANGLED STABILISING BARS
- CLEARVUE GLASS COATING



ORO RIGHT HAND HINGED QUADRANT



ORO RIGHT HAND OFFSET HINGED QUADRANT
(to suit right hand offset quadrant shower tray)

HINGED OFFSET QUADRANT DOOR


Setting the standard in frameless design, the ORO Offset Hinged Quadrant is a shower door of sheer beauty and elegance for your bathroom. The curved frameless glass is supported by 2 minimalist stainless steel stabilising bars. Flush to glass interior counter sunk hinges allow you to easily wipe the shower glass clean.

Precise in its action, the curved hinge door is secured by ultra clear magnetic seals that give the perfect close on the shower enclosure.



DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Offset Hinged Quadrant 1200 x 800mm Left Hand	770-1170mm	790-1190mm	570mm	OROHQ80X120LSC
Offset Hinged Quadrant 1200 x 800mm Right Hand	770-1170mm	790-1190mm	570mm	OROHQ80X120RSC
Offset Hinged Quadrant 1200 x 900mm Left Hand	870-1170mm	890-1190mm	570mm	OROHQ90X120LSC
Offset Hinged Quadrant 1200 x 900mm Right Hand	870-1170mm	890-1190mm	570mm	OROHQ90X120RSC



- 8mm** TOUGHENED SAFETY GLASS
- 2000mm** PROFILE HEIGHT
- 20mm** PROFILE ADJUSTMENT
- COUNTERSUNK INTERIOR HINGES
- 10mm** ULTRA LOW BOTTOM RAIL
- CRAFTED HANDLE DESIGN
- ULTRA CLEAR SEALS
- SEAMLESS INTERIOR COVER STRIPS
- STAINLESS STEEL ANGLED STABILISING BARS
- CLEARVUE GLASS COATING


SLIDING QUADRANT DOOR

Creative engineering has shaped the unique ORO Sliding Quadrant. The top floating rail design ingeniously encloses the roller system to give the door a sleek polished look. Practically speaking, the concealed rollers ensure reduced cleaning time.

Functional distinction continues with the **patented magnetic guide system** – this design innovation guarantees the smoothest motion as the door glides around the bottom rail. The final detail is the **crafted handle design**, befitting for the overall elegance of this door.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Sliding Quadrant 900mm Left Hand	870mm	890mm	500mm	OROSQ90LSC
Sliding Quadrant 900mm Right Hand	870mm	890mm	500mm	OROSQ90RSC
Sliding Quadrant 1000mm Left Hand	970mm	990mm	500mm	OROSQ100LSC
Sliding Quadrant 1000mm Right Hand	970mm	990mm	500mm	OROSQ100RSC



- 8mm TOUGHENED SAFETY GLASS
- 2000mm HEIGHT
- 20mm PROFILE ADJUSTMENT
- 10mm ULTRA LOW BOTTOM RAIL
- CRAFTED HANDLE DESIGN
- ULTRA CLEAR SEALS
- PATENTED MAGNETIC GUIDE SYSTEM
- CUSHION CLOSE DAMPENER MECHANISM
- CLEARVUE GLASS COATING






SLIDING OFFSET QUADRANT DOOR

Generously proportioned, the ORO Sliding Offset Quadrant is designed to impress in your bathroom. The signature floating rail design cleverly encloses the rollers to give the door a sleek appearance.

Design excellence continues with the **patented magnetic guide system** ensuring the smoothest of motion as the door glides around the bottom rail. The **crafted chrome handles** have perfect symmetry, in line with the overall elegance of the door.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Offset Sliding Quadrant 1200 x 800mm Left Hand	770-1170mm	790-1190mm	500mm	OROSQ80X120LSC
Offset Sliding Quadrant 1200 x 800mm Right Hand	770-1170mm	790-1190mm	500mm	OROSQ80X120RSC
Offset Sliding Quadrant 1200 x 900mm Left Hand	870-1170mm	890-1190mm	500mm	OROSQ90X120LSC
Offset Sliding Quadrant 1200 x 900mm Right Hand	870-1170mm	890-1190mm	500mm	OROSQ90X120RSC



- 8E** TOUGHENED SAFETY GLASS
- 2000mm** HEIGHT
- 20E** PROFILE ADJUSTMENT
- 10E** ULTRA LOW BOTTOM RAIL
- CRAFTED** HANDLE DESIGN
- ULTRA CLEAR** SEALS
- PATENTED** MAGNETIC GUIDE SYSTEM
- SEAMLESS** INTERIOR COVER STRIPS
- CUSHION CLOSE** DAMPENER MECHANISM
- CLEARVUE** GLASS COATING

ORO RIGHT HAND OFFSET SLIDING QUADRANT (to suit right hand offset quadrant shower tray)

SLIDER DOOR


A delightful choice, the ORO Slider Door glides along with smooth perfection. The patented magnetic guide on the bottom of the door is the first of its kind on the market. 8mm toughened safety glass offers a tactile feeling of strength and quality.

The floating top rail design is a signature characteristic of the ORO range. With a seamless interior cover cap, the top rail also cleverly conceals the roller system. The finishing touch is the unique handle design – beautifully formed and a pleasure to use.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Sliding Door 1200mm Left Hand	1160mm	1200mm	465mm	OROSA120LSC
Sliding Door 1200mm Right Hand	1160mm	1200mm	465mm	OROSA120RSC
Sliding Door 1400mm Left Hand	1360mm	1400mm	565mm	OROSA140LSC
Sliding Door 1400mm Right Hand	1360mm	1400mm	565mm	OROSA140RSC
Sliding Door 1600mm Left Hand*	1560mm	1600mm	665mm	OROSA160LSC
Sliding Door 1600mm Right Hand*	1560mm	1600mm	665mm	OROSA160RSC

*1600mm Sliding Doors Available July 2017



- 8mm TOUGHENED SAFETY GLASS
- 2000mm HEIGHT
- 40mm PROFILE ADJUSTMENT
- 10mm ULTRA LOW BOTTOM RAIL
- SEAMLESS INTERIOR COVER STRIPS
- PATENTED MAGNETIC GUIDE SYSTEM
- CUSHION CLOSE DAMPENER MECHANISM
- CLEARVUE GLASS COATING



ORO LEFT HAND SLIDER DOOR
INSTALLED WITH FRAMELESS SIDE PANEL

SLIDER DOOR WITH FRAMELESS SIDE PANEL

The ORO Slider Door installed with frameless side panel is a distinctly stylish option for your bathroom.

The **patented magnetic guide system** is a key feature, allowing the door to glide smoothly along the bottom rail. The polished chrome corner post gives the slider door and side panel a robust construction, with no requirement for additional stabilising bar support. With a **seamless interior cover cap**, the floating top rail cleverly conceals the roller system internally. The finishing touch is the **uniquely designed handle**, beautifully formed to give a feeling of smooth perfection.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Sliding Door 1200mm Left Hand	1160mm	1200mm	465mm	OROSA120LSC
Sliding Door 1200mm Right Hand	1160mm	1200mm	465mm	OROSA120RSC
Sliding Door 1400mm Left Hand	1360mm	1400mm	565mm	OROSA140LSC
Sliding Door 1400mm Right Hand	1360mm	1400mm	565mm	OROSA140RSC
Sliding Door 1600mm Left Hand*	1560mm	1600mm	665mm	OROSA160LSC
Sliding Door 1600mm Right Hand*	1560mm	1600mm	665mm	OROSA160RSC

*1600mm Sliding Doors Available July 2017

FRAMELESS SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Frameless Side Panel 700mm	670mm	690mm	OROSP70SC
Frameless Side Panel 760mm	730mm	750mm	OROSP76SC
Frameless Side Panel 800mm	770mm	790mm	OROSP80SC
Frameless Side Panel 900mm	870mm	890mm	OROSP90SC
Frameless Side Panel 1000mm	970mm	990mm	OROSP100SC

8E

TOUGHENED SAFETY GLASS

2000mm

HEIGHT

40E

PROFILE ADJUSTMENT

10E

ULTRA LOW BOTTOM RAIL


SEAMLESS INTERIOR COVER STRIPS

ULTRA CLEAR SEALS

CUSHION CLOSE DAMPENER MECHANISM

PATENTED MAGNETIC GUIDE SYSTEM

CLEARVUE GLASS COATING






ORO HINGE DOOR - RIGHT HAND INSTALLATION

HINGE DOOR

Experience perfection with the 8mm ORO hinge door. Ideal for smaller spaces, this frameless door features curved radius detailing throughout. Interior fixation points are discreetly concealed by an innovative cover cap design. The countersunk interior hinges allow you to wipe the shower glass clean with ease.

Ultra clear magnetic seals give the hinge door a reassuring close action. The finishing touch is the crafted chrome handles – shaped to give a tactile feeling of smooth perfection.



DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinge Door 800mm	760mm	800mm	637mm	OROHD80SC
Hinge Door 900mm	860mm	900mm	737mm	OROHD90SC
Hinge Door 1000mm	960mm	1000mm	837mm	OROHD100SC

UNIVERSAL - SUITS LEFT OR RIGHT HAND OPENING

LEFT HAND DOOR

RIGHT HAND DOOR

L

R

DOOR CAN BE ADJUSTED BY INSTALLER TO SUIT LEFT OR RIGHT HAND FIXING

8mm

TOUGHENED SAFETY GLASS

2000mm

HEIGHT

40mm

PROFILE ADJUSTMENT

10mm

ULTRA LOW BOTTOM RAIL

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

UNIVERSAL LEFT OR RIGHT HAND OPENING

CLEARVUE GLASS COATING

HINGE DOOR WITH FRAMELESS SIDE PANEL

The ORO hinge door accompanied by a frameless side panel radiates style and contemporary elegance. Designed with durability in mind, each side panel is complemented by a minimalist chrome stabilising bar that boasts discreet fixation points and a streamlined aesthetic.

The countersunk interior hinges allows you to wipe the shower glass clean with ease. Pioneering ultra clear seals are a feature throughout, with a magnetic door seal providing a reassuring close on the door.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinge Door 800mm	760mm	800mm	637mm	OROHD80SC
Hinge Door 900mm	860mm	900mm	737mm	OROHD90SC
Hinge Door 1000mm	960mm	1000mm	837mm	OROHD100SC



FRAMELESS SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Frameless Side Panel 700mm	670mm	690mm	OROSP70SC
Frameless Side Panel 760mm	730mm	750mm	OROSP76SC
Frameless Side Panel 800mm	770mm	790mm	OROSP80SC
Frameless Side Panel 900mm	870mm	890mm	OROSP90SC
Frameless Side Panel 1000mm	970mm	990mm	OROSP100SC

STABILISING BAR

PRODUCT DESCRIPTION	CODE
Straight Stabilising Bar 1050mm	S-ORO105SSB

UNIVERSAL - SUITS LEFT OR RIGHT HAND OPENING



STAINLESS STEEL STRAIGHT STABILISING BAR

8 TOUGHENED SAFETY GLASS	2000mm HEIGHT	40 PROFILE ADJUSTMENT	10 ULTRA LOW BOTTOM RAIL
CRAFTED HANDLE DESIGN	ULTRA CLEAR SEALS	SEAMLESS INTERIOR COVER STRIPS	UNIVERSAL LEFT OR RIGHT HAND OPENING
			CLEARVUE GLASS COATING



ORO HINGE DOOR & FRAMELESS SIDE PANEL - LEFT HAND INSTALLATION

HINGE AND INLINE DOOR


Striking in its appearance, the ORO Hinge and Inline door is a statement piece for your bathroom. This door exudes charm with its crafted chrome handle and hinge design.

The interior countersunk hinges make cleaning the door hassle free. The angled stabilising bar blends subtly into the products profile. With ultra clear magnetic seals giving a superior close action, this door offers the perfect mix of style and practicality.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinge and Inline Door 1200mm Left Hand	1160mm	1200mm	723mm	OROHD120LSC
Hinge and Inline Door 1200mm Right Hand	1160mm	1200mm	723mm	OROHD120RSC
Hinge and Inline Door 1400mm Left Hand	1360mm	1400mm	723mm	OROHD140LSC
Hinge and Inline Door 1400mm Right Hand	1360mm	1400mm	723mm	OROHD140RSC
Hinge and Inline Door 1600mm Left Hand*	1560mm	1600mm	723mm	OROHD160LSC
Hinge and Inline Door 1600mm Right Hand*	1560mm	1600mm	723mm	OROHD160RSC

*1600 Hinge and Inline Doors Available July 2017.
Angled stabilising bar included with each door.



STAINLESS STEEL ANGLED STABILISING BAR



ORO LEFT HAND HINGE AND INLINE DOOR (alcove)

- 8E TOUGHENED SAFETY GLASS
- 2000mm HEIGHT
- 40E PROFILE ADJUSTMENT
- 10E ULTRA LOW BOTTOM RAIL
- CRAFTED HANDLE DESIGN
- ULTRA CLEAR SEALS
- SEAMLESS INTERIOR COVER STRIPS
- STAINLESS STEEL ANGLED STABILISING BAR
- CLEARVUE GLASS COATING



ORO HINGE & INLINE DOOR WITH FRAMELESS SIDE PANEL - RIGHT HAND INSTALLATION

HINGE & INLINE DOOR WITH FRAMELESS SIDE PANEL

This impressive ensemble of ORO Hinge and Inline door, frameless side panel and T-bar stabiliser is engineered with the utmost attention to detail.

The **gently curved hinges** have a countersunk interior design and can be wiped clean with ease. The **T-bar stabiliser** has concealed fixings and its sleek construction blends subtly into the product design. The finishing touch is the **crafted chrome handles**, their perfect symmetry complementing the overall elegance of the door.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinge and Inline Door 1200mm Left Hand	1160mm	1200mm	723mm	OROHD120LSC
Hinge and Inline Door 1200mm Right Hand	1160mm	1200mm	723mm	OROHD120RSC
Hinge and Inline Door 1400mm Left Hand	1360mm	1400mm	723mm	OROHD140LSC
Hinge and Inline Door 1400mm Right Hand	1360mm	1400mm	723mm	OROHD140RSC
Hinge and Inline Door 1600mm Left Hand	1560mm	1600mm	723mm	OROHD160LSC
Hinge and Inline Door 1600mm Right Hand	1560mm	1600mm	723mm	OROHD160RSC

*1600 Hinge and Inline Doors Available July 2017.
Angled stabilising bar included with each door.

FRAMELESS SIDE PANEL OPTIONS


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Frameless Side Panel 700mm	670mm	690mm	OROSP70SC
Frameless Side Panel 760mm	730mm	750mm	OROSP76SC
Frameless Side Panel 800mm	770mm	790mm	OROSP80SC
Frameless Side Panel 900mm	870mm	890mm	OROSP90SC
Frameless Side Panel 1000mm	970mm	990mm	OROSP100SC

STABILISING BAR & T PIECE

PRODUCT DESCRIPTION	CODE
Straight Stabilising Bar 1600mm with T Piece	S-ORO160SSB+TB



T-BAR STABILISER



- 8mm**
TOUGHENED SAFETY GLASS
- 2000mm**
HEIGHT
- 40mm**
PROFILE ADJUSTMENT
- 10mm**
ULTRA LOW BOTTOM RAIL
- CRAFTED HANDLE DESIGN
- ULTRA CLEAR SEALS
- SEAMLESS INTERIOR COVER STRIPS
- CLEARVUE GLASS COATING



ORO BI-FOLD -
RIGHT HAND INSTALLATION

BI-FOLD DOOR

The ingenious design of the ORO Bi-Fold Door makes it a firm favourite amongst this 8mm shower door range.


The innovative 360 degree hinge mechanism enables the door to open inwards and outwards, offering you total flexibility. A self stop hinge action prevents the door glass extending into contact with the shower wall or door hinges. The bifold hinge is meticulously engineered giving this frameless door exceptional stability. The signature ORO handle design adds the finishing touch to this bijoux beauty.

DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Bi-Fold Door 800mm	760mm	800mm	563mm	OROBF80SC
Bi-Fold Door 900mm	860mm	900mm	663mm	OROBF90SC
Bi-Fold Door 1000mm	960mm	1000mm	763mm	OROBF100SC



UNIVERSAL - SUITS LEFT OR RIGHT HAND OPENING



- 8mm TOUGHENED SAFETY GLASS
- 2000mm HEIGHT
- 40mm PROFILE ADJUSTMENT
- SEAMLESS INTERIOR COVER STRIPS
- CRAFTED HANDLE DESIGN
- ULTRA CLEAR SEALS
- UNIVERSAL LEFT OR RIGHT HAND OPENING
- CLEARVUE GLASS COATING
- 10mm ULTRA LOW BOTTOM RAIL

BI-FOLD DOOR WITH FRAMELESS SIDE PANEL

The versatility of the ORO Bifold Door and side panel is firmly appreciated by all. Designed to open both inwards and outwards, an innovative self stop hinge mechanism prevents the bifold door from folding into contact with the glass panels or shower wall.

The raised stabilising bar is designed to accompany a frameless side panel and with its extra height, it allows the door to fold inwards without restriction. The **crafted handle and curved hinge detailing** accentuate the beauty of this bifold door and side panel offering.

DOOR SIZE OPTIONS


PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Bi-Fold Door 800mm	760mm	800mm	563mm	OROBF80SC
Bi-Fold Door 900mm	860mm	900mm	663mm	OROBF90SC
Bi-Fold Door 1000mm	960mm	1000mm	763mm	OROBF100SC

FRAMELESS SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Frameless Side Panel 700mm	670mm	690mm	OROSP70SC
Frameless Side Panel 760mm	730mm	750mm	OROSP76SC
Frameless Side Panel 800mm	770mm	790mm	OROSP80SC
Frameless Side Panel 900mm	870mm	890mm	OROSP90SC
Frameless Side Panel 1000mm	970mm	990mm	OROSP100SC

STABILISING BAR

PRODUCT DESCRIPTION	CODE
Raised Stabilising Bar 1050mm	S-ORO105HSSB



UNIVERSAL - SUITS LEFT OR RIGHT HAND OPENING




ORO BI-FOLD AND FRAMELESS SIDE PANEL - LEFT HAND INSTALLATION

- 8mm** TOUGHENED SAFETY GLASS
- 2000mm** HEIGHT
- 20mm** PROFILE ADJUSTMENT
- 10mm** ULTRA LOW BOTTOM RAIL
- ULTRA CLEAR SEALS
- SEAMLESS INTERIOR COVER STRIPS
- UNIVERSAL LEFT OR RIGHT HAND OPENING
- CLEARVUE GLASS COATING

ORO[®] DOOR STYLES & HANDED DOOR GUIDE


HINGED QUADRANT DOOR

Please select carefully the ORO Hinged Quadrant that is the correct hand opening for your space.




HINGED OFFSET QUADRANT DOOR

Please select carefully the ORO Hinged Offset Quadrant that is the correct shape for your offset shower tray.




SLIDING QUADRANT DOOR

Please select carefully the ORO Sliding Quadrant that is the correct hand opening for your space.



SLIDING OFFSET QUADRANT DOOR

Please select carefully the ORO Sliding Offset Quadrant that is the correct shape for your offset shower tray.




SLIDER DOOR

Please select carefully the ORO Slider Door that is the correct hand opening for your space.




HINGED DOOR

The ORO Hinged Door is universal, so it can be adapted at installation to suit either left or right hand installation.




HINGED AND INLINE DOOR

Please select carefully the ORO Hinge and Inline Door that is the correct hand opening for your space.



BI-FOLD DOOR

The ORO Bi-Fold Door is universal, so it can be adapted at installation to suit either left or right hand installation.



DESIGNED FOR LIFE



SINCE
1952

flair
—

Founded in County Cavan in 1952, Flair have built up a trusted reputation as a specialist in the production of quality shower doors and bath screens. Our reputation has stood the test of time, making us the oldest manufacturer of our kind in Ireland. We are proud to be a brand of choice for customers.

With an unwavering commitment to customer care, Flair combine lifelong knowledge and expertise with advanced production techniques. We offer our customers innovative designs that bring a new sense of enrichment to their bathroom and enjoyment to our customers.

The perfect blend of function and form. Designed for life.



QUALITY GUARANTEED

At Flair we have an unwavering commitment to product quality.

All ORO Shower Doors are CE approved and manufactured in accordance with ISO 9001:2000 Quality Assurance systems. All glass is toughed safety glass and produced to EN12150.

Flair products are performance tested to EN14428. This means that ORO Shower Enclosures have been subject to lifetime shower cycle testing consisting of 20,000 functional cycles, water tests, impact tests and 10,000 corrosion cycle tests for all components. ORO Doors are also tested for their durability, stability and water retention properties to ensure that they meet the highest possible industry standards. Please note - Due to the weight of this product it requires a two man lift.

INSTALLATION

Full installation instructions are provided with each ORO product to ensure correct installation. ORO Shower Doors and Side Panels are adjustable between the dimensions stated. All dimensions are approximate.

ORO Lifetime Guarantee.

ORO Shower Doors are covered by a lifetime guarantee against manufacturer defect. This guarantee is valid on the condition that goods are installed and maintained in accordance with the products fitting instructions and best practices. ***Note: Non glass and detachable parts such as rollers, seals, door dampeners and cover caps are subject to normal wear and tear during usage and are under statutory guarantee for 2 years from time of purchase.**

We ask our customers to register their guarantee online at www.flairshowers.com or return the guarantee card that comes with every ORO door.

Aftersales & Spare Parts service

Flair is 100% committed to customer service excellence. We carry a full range of spare parts for each of our product ranges and have dedicated aftersales representatives to deal with any issues you may have.

If you would like to talk to our customer aftercare team, please contact us on +353 42 966 8000.

CONDITIONS OF SALE

Unless otherwise stated, all price quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.

AS PART OF OUR CONTINUING POLICY OF PRODUCT IMPROVEMENT, WE RESERVE THE RIGHT TO AMEND SPECIFICATIONS, COLOURS AND PRICES WITHOUT PRIOR NOTICE.

*Errors and Omissions Exempt.



